

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

LEWATIT UltraPure 1292 MD

Version 1.1 Revision Date: 17.06.2019 SDS Number: 103000010145 Date of last issue: 27.11.2017
Country / Language: GB / EN(GB)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : LEWATIT UltraPure 1292 MD
Product code : 05118794

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-stance/Mixture : Ion exchange, resins and catalysts

1.3 Details of the supplier of the safety data sheet

Supplier : LANXESS Deutschland GmbH
Production, Technology,
Safety & Environment
51369 Leverkusen, Germany
Telephone : +4922188852288
E-mail address of person responsible for the SDS : infosds@lanxess.com

1.4 Emergency telephone number

0870 190 6777. National Chemical Emergency Centre

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Serious eye damage, Category 1 H318: Causes serious eye damage.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Danger

Hazard statements : H318 Causes serious eye damage.

Precautionary statements : **Prevention:**
P280 Wear eye protection/ face protection.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



LEWATIT UltraPure 1292 MD

Version 1.1 Revision Date: 17.06.2019 SDS Number: 103000010145 Date of last issue: 27.11.2017
Country / Language: GB / EN(GB)

Response:

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

Hazardous components which must be listed on the label:

Ethylbenzene, ethylethenylbenzene, diethenylbenzene polymer, sulfonated
Ethylethenylbenzene, ethenylbenzene, diethenylbenzene polymer, methanaminiumN,N,N-trimethyl hydroxide

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : styrene-divinylbenzene-copolymer with sulphonic acid groups in H-form and trialkyl ammonium groups in OH-form

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Ethylbenzene, ethylethenylbenzene, diethenylbenzene polymer, sulfonated	69011-20-7	Eye Dam. 1; H318	>= 20 - < 30
Ethylethenylbenzene, ethenylbenzene, diethenylbenzene polymer, methanaminiumN,N,N-trimethyl hydroxide	69011-18-3	Eye Dam. 1; H318	>= 20 - < 30

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training.
- If inhaled : If breathed in, move person into fresh air.
Get medical attention if symptoms occur.
- In case of skin contact : Wash off with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention if symptoms occur.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

LEWATIT UltraPure 1292 MD

Version 1.1 Revision Date: 17.06.2019 SDS Number: 103000010145 Date of last issue: 27.11.2017
Country / Language: GB / EN(GB)

- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Continue rinsing eyes during transport to hospital.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Rinse mouth with water.
Give small amounts of water to drink.
Get medical attention if symptoms occur.
Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : No symptoms known or expected.
- Risks : Causes serious eye damage.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically.
See Section 11 for more detailed information on health effects and symptoms.
-

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- Unsuitable extinguishing media : None known.

5.2 Special hazards arising from the substance or mixture

- Specific hazards during fire-fighting : none
Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Carbon dioxide (CO₂)
Carbon monoxide
Metal oxides

5.3 Advice for firefighters

- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.
- Further information : Collect contaminated fire extinguishing water separately. This
-

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



LEWATIT UltraPure 1292 MD

Version	Revision Date:	SDS Number:	Date of last issue: 27.11.2017
1.1	17.06.2019	103000010145	Country / Language: GB / EN(GB)

must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire.
No action shall be taken involving any personal risk or without suitable training.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Avoid dust formation.
Avoid breathing dust.
No action shall be taken involving any personal risk or without suitable training.
Do not touch or walk through spilt material.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Move containers from spill area.
Vacuum or sweep up material and place in a designated, labelled waste container.
Dispose of wastes in an approved waste disposal facility.
Do not allow into the sewerage system, surface waters or groundwater or into the soil.

6.4 Reference to other sections

For personal protection see section 8.
For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of respirable particles.
Do not breathe vapours/dust.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



LEWATIT UltraPure 1292 MD

Version	Revision Date:	SDS Number:	Date of last issue: 27.11.2017
1.1	17.06.2019	103000010145	Country / Language: GB / EN(GB)

Remove contaminated clothing and protective equipment before entering eating areas.

Workers should wash hands and face before eating, drinking and smoking.

Put on appropriate personal protection equipment.

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed.

Advice on protection against fire and explosion : Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.

Hygiene measures : When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Electrical installations / working materials must comply with the technological safety standards.

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container closed when not in use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate container to avoid environmental contamination.

Recommended storage temperature : -20 - 40 °C

Further information on storage stability : It is recommended to store ion exchange resins at temperatures above the freezing point of water, under roof, in dry conditions, without exposure to direct sunlight. Ion exchange resins should not be stored in direct sunlight. If the resin should become frozen, the resin should not be mechanically handled and should be left to thaw out gradually at ambient temperature. It must be completely thawed before handling or use. No attempt should be made to accelerate the thawing process.

7.3 Specific end use(s)

Specific use(s) : No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



LEWATIT UltraPure 1292 MD

Version	Revision Date:	SDS Number:	Date of last issue: 27.11.2017
1.1	17.06.2019	103000010145	Country / Language: GB / EN(GB)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Engineering measures

Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Personal protective equipment

Eye protection : Tightly fitting safety goggles

Hand protection

Material : Polyvinyl chloride - PVC
Wearing time : < 60 min

Material : Nitrile rubber - NBR
Wearing time : < 60 min

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves. After contamination with product change the gloves immediately and dispose of them according to relevant national and local regulations

Skin and body protection : Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : Dust-protection mask if there is a risk of dust formation.

Filter type : P1 filter

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : beads

Colour : red brown

Odour : slight, amine-like

Odour Threshold : No data available

pH : 6 - 8
Concentration: 10 %

Melting point/freezing point : No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

LEWATIT UltraPure 1292 MD

Version 1.1 Revision Date: 17.06.2019 SDS Number: 103000010145 Date of last issue: 27.11.2017
Country / Language: GB / EN(GB)

Boiling point/boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Burning number	:	2 (20 °C) 2 (100 °C)
Upper explosion limit	:	No data available
Lower explosion limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	1.13 g/cm ³ (20 °C)
Bulk density	:	750 kg/m ³
Solubility(ies) Water solubility	:	insoluble
Partition coefficient: n- octanol/water	:	No data available
Ignition temperature	:	> 250 °C
Decomposition temperature	:	No data available
Viscosity	:	No data available
Explosive properties	:	No data available
Oxidizing properties	:	No data available

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



LEWATIT UltraPure 1292 MD

Version	Revision Date:	SDS Number:	Date of last issue: 27.11.2017
1.1	17.06.2019	103000010145	Country / Language: GB / EN(GB)

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Under normal conditions of storage and use, hazardous reactions will not occur.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Remarks: Test results on an analogous product

Components:

Ethylbenzene, ethylethenylbenzene, diethenylbenzene polymer, sulfonated:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Ethylethenylbenzene, ethenylbenzene, diethenylbenzene polymer, methanaminiumN,N,N-trimethyl hydroxide:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Product:

Result: No skin irritation
Remarks: Test results on an analogous product

Components:

Ethylbenzene, ethylethenylbenzene, diethenylbenzene polymer, sulfonated:

Result: No skin irritation
Remarks: Test results on an analogous product

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



LEWATIT UltraPure 1292 MD

Version	Revision Date:	SDS Number:	Date of last issue: 27.11.2017
1.1	17.06.2019	103000010145	Country / Language: GB / EN(GB)

Ethylethenylbenzene, ethenylbenzene, diethenylbenzene polymer, methanaminiumN,N,N-trimethyl hydroxide:

Result: No skin irritation
Remarks: Test results on an analogous product

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Result: Risk of serious damage to eyes.
Remarks: Test results on an analogous product

Remarks: May cause irreversible eye damage.

Components:

Ethylbenzene, ethylethenylbenzene, diethenylbenzene polymer, sulfonated:

Assessment: Risk of serious damage to eyes.
Remarks: Test results on an analogous product

Ethylethenylbenzene, ethenylbenzene, diethenylbenzene polymer, methanaminiumN,N,N-trimethyl hydroxide:

Assessment: Risk of serious damage to eyes.
Remarks: Test results on an analogous product

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



LEWATIT UltraPure 1292 MD

Version	Revision Date:	SDS Number:	Date of last issue: 27.11.2017
1.1	17.06.2019	103000010145	Country / Language: GB / EN(GB)

Further information

Product:

Remarks: No data available

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Other adverse effects

Product:

Additional ecological information : The product is insoluble in water. Therefore, ecological tests have not been conducted.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Examine possibilities for re-utilisation.
Product residues and uncleaned empty containers should be packaged, sealed, labelled, and disposed of or recycled according to relevant national and local regulations.
Where large quantities are concerned, consult the supplier.
Do not dispose of waste into sewer.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.
For disposal within the EC, the appropriate code according to the European Waste List (EWL) should be used.
It is among the tasks of the polluter to assign the waste to waste codes specific to industrial sectors and processes according to the European Waste List (EWL).

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



LEWATIT UltraPure 1292 MD

Version 1.1	Revision Date: 17.06.2019	SDS Number: 103000010145	Date of last issue: 27.11.2017 Country / Language: GB / EN(GB)
----------------	------------------------------	-----------------------------	---

Where possible recycling is preferred to disposal or incineration.

This material and its container must be disposed of in a safe way.

Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Do not dispose of waste into sewer.

Do not contaminate ponds, waterways or ditches with chemical or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

SECTION 14: Transport information

14.1 UN number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Hazard statements : Not dangerous cargo.
Risk of serious damage to eyes.
Avoid temperatures below -20 °C.
Avoid heat above +40 °C.
Keep separated from foodstuffs.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) : Not applicable
Schedules of Toxic Chemicals and Precursors

REACH - Candidate List of Substances of Very High : Not applicable

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



LEWATIT UltraPure 1292 MD

Version	Revision Date:	SDS Number:	Date of last issue: 27.11.2017
1.1	17.06.2019	103000010145	Country / Language: GB / EN(GB)

Concern for Authorisation (Article 59).

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EC) No 850/2004 on persistent organic pollutants : Not applicable

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.
Not applicable

15.2 Chemical safety assessment

not applicable

SECTION 16: Other information

Full text of H-Statements

H318 : Causes serious eye damage.

Full text of other abbreviations

Eye Dam. : Serious eye damage

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

Further information

Classification of the mixture:

Eye Dam. 1 H318

Classification procedure:

Based on product data or assessment

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet and its Annex [if required according to Regulation (EC) 1907/2006 (REACH)] is to describe the products in terms of their safety requirements. The given details do not imply any guarantee concerning the composition, properties or performance.